

# RESIDENTIAL SOFTENERS



# Benefits of a Nelsen Water Treatment System



### IN THE BATHROOM:

Your soap and shampoo will lather better. Your hair and skin will feel noticeably cleaner, softer and not as dry. Additionally, soap scum or mineral deposits will be greatly reduced from sinks, showers, tubs and toilets.



## IN THE KITCHEN:

Dishes will clean up more easily, and be spot-free, without the gray film glass gets when etched by mineral laden water.



# IN THE LAUNDRY:

Clothes will be softer, cleaner, and brighter. Using soft water and pure soap products increases the life of clothing, towels and linens. Without hard water service issues, washing machines will last longer, too.



## PLUMBING AND APPLIANCES:

Appliances that use water will last longer and run better. Why? Because water heaters, washing machines and dishwashers using hard water can wear out 30% faster.

Nelsen Corporation is the largest family-owned manufacturer/ distributor of water treatment products in the United States. Headquartered in Akron, Ohio with additional distribution centers in Arizona, Texas and Florida, our company has seen substantial growth over the years. Since 1954 Nelsen Corporation has remained committed to the professional water treatment dealer, their customers and the communities that they serve. More than 65 years of experience in water treatment have been incorporated into our systems yielding the very best equipment for your family or your business.

# 5600 SERIES



Nelsen Water Treatment Solutions water conditioners and filtration products have been providing homeowners with the best water treatment solutions for more than 65 years. Working with the professional water treatment dealer, your new Nelsen water treatment system will fit your exact needs and provide you with years of quality, conditioned water.

#### **ENGINEERED TO LAST**

The 5600 control valves have been engineered and internally tested to exceed NSF/ANSI 44 standards. The key to the exceptional quality of the Pentair Fleck 5600 control valve is the proven piston-seal-spacer technology. Featuring a hydraulically balanced, Teflon-coated piston with a seal and spacer to effectively control service flow and regeneration, the Pentair Fleck 5600 valve is

# TIME CLOCK, METERED, OR SXT CONTROL

simply one of the most reliable valves available.

Your choice of a mechanical timer that initiates regeneration on a preset time basis, or a more efficient meter system that measures the water used. Because meter systems control regeneration based on water volume instead of time, you can save significant amounts of both water and electricity. The electronic SXT control gives the benefits of accurate metered controls with the safety of a day override to ensure a clean, long-lasting system.

# THE STATE-OF-THE-ART 5600 SXT ELECTRONIC METER CONTROL

The 5600 SXT electronic meter control provides your home with conditioned water based on your family's water usage, regenerating only when needed. This environment-friendly control

> ensures you years of soft water; saving you money, water and salt. A large backlit LCD display alternates between time of day, soft water remaining or days to regeneration.

# THE 5600 METER CONTROL

The time-tested 5600 mechanical meter control features an economical water meter engineered to monitor your family's daily water usage, regenerating your system only when needed. Pentair Fleck's time-tested mechanical meter will provide years of trouble-free service.

### THE 5600 TIME CLOCK CONTROL

The economic 5600 time clock control is as simple to set as turning a dial.







Pentair Fleck

5600 Series Residential Single Softener System Specifications				
Grains Capacity	32,000	48,000	64,000	80,000
Grains Capacity¹/Capacity²	30K/24K	45K/36K	60K/48K	75K/60K
Cubic Ft. Material per Tank	1.0	1.5	2.0	2.5
Pounds Material per Tank	50	75	100	125
Service Flow Rate, GPM*	9	12	13	15
Approximate Dimensions - Inches	33W x 57H x 19D	34W x 63H x 19D	36W x 57H x 19D	37W x 63H x 19D
Approximate Weight - Pounds	98#	124#	152#	219#
Mineral Tank Size	9" x 48"	10" x 54"	12" x 48"	13" x 54"
Backwash Flow³	2.0	2.4	3.5	4.0

(1) At 15 pounds per cubic foot = 30,000 Gr. C.F. (2) At 9 pounds per cubic foot = 24,000 Gr. C.F. (3) Backwash flow with standard basket distributor \*Note - due to varying water conditions, water pressures and assembly materials the service flow rate should be used only as a guideline. The standard resin is certified, however system media may vary based on water analysis to optimally treat specific water problems.

# Professional Series Control Valve

- Fiber-reinforced polymer valve body for superior strength and durability, non-corrosive, and UV-resistant
- Optional SXT model with an LCD display with 48 hours of internal backup power

#### **Exclusive Media Bed**

- High quality, chlorine resistant media bed, for years of continuous service
- Uniform bead size and distribution for optimum flow rates
- Optional resins available to target specific problems water problems

# Basket Style Distribution System

- Delivers evenly distributed and high quality flows
- Optional Enpress® Vortech™
   Plate Tank style distribution
   system, providing increased
   backwash efficiency using
   less water and saving money
- Gravel support bed shown used on larger systems

The arrows indicate water flow through the system as it softens.



- High quality, durable construction
- Safety float system helps prevent overflow of the brine tank
- Constructed of corrosionfree materials
- Larger brine tank sizes available

# SYSTEM FEATURES & OPTIONS

### **Key Features**

- Time Clock Initiates regeneration on a preset time basis
- Electromechanical Timer Simple to adjust and easy to service with quick access to all internal components
- SXT Model Large LCD display and user-selectable time clock or metered function; usable for filtration and softener systems
- Continuous service flow rate of 20 gpm with a backwash of 7 gpm
- Backwash capability accommodates softener tanks up to 12" and filter up to 10" in diameter
- Fully adjustable 3 or 5 cycle control for efficient and a reliable water treatment
- Time-tested, hydraulically-balanced piston for service and regeneration

#### Additional Options

- · Brine cam auxiliary switch
- Plumbing connections in ¾" to 1-¼" NPT, and sweat

Time to get the finest quality water for your home. Call today!

