

SAFETY DATA SHEET
Sodium Carbonate, Anhydrous

SDS # : 497-19-8
Revision date: 2015-04-30
Format: NA
Version 5.01

TRONOX

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Soda Ash

Other means of identification

Product Code(s) 497-19-8

Synonyms Sodium carbonate, anhydrous; Carbonic acid, disodium salt; Disodium carbonate

Chemical Family Alkali salt

Recommended use of the chemical and restrictions on use

Recommended Use: Glass manufacture , Personal care, Detergent, Water treatment chemical, Chemical processing

Restrictions on Use: See section 16 for more information

Manufacturer Address

Tronox Alkali Wyoming Corporation
1735 Market Street
Philadelphia, PA 19103
Tel: +1 877-362-2248 or +1 215-299-6904
www.tronox.com

Emergency telephone number

1 307 / 872 2452 (Plant - Green River, WY)
1 303/ 389-1409 (Medical - U.S. - Call Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 2

Sodium Carbonate, Anhydrous

SDS #: 497-19-8
Revision date: 2015-04-30
Version 5.01

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Warning

Hazard Statements

H319 - Causes serious eye irritation



Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/ face protection

Precautionary Statements - Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family
Formula

Alkali salt.
Na₂CO₃

Chemical name	CAS-No	Weight %
Sodium carbonate	497-19-8	100

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

Skin Contact

Wash off with warm water and soap. Get medical attention if irritation develops and persists. Remove and wash contaminated clothing before re-use.

Inhalation

Remove person to fresh air. If signs/symptoms continue, get medical attention.

Sodium Carbonate, Anhydrous

SDS #: 497-19-8
Revision date: 2015-04-30
Version 5.01

Ingestion	Never give anything by mouth to an unconscious person Get medical attention if symptoms occur
Most important symptoms and effects, both acute and delayed	Causes serious eye damage / eye irritation.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing agent suitable for type of surrounding fire.
Specific Hazards Arising from the Chemical	Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes
Hazardous Combustion Products	Fumes of sodium oxide. Carbon oxides (COx).
<u>Explosion data</u>	
Sensitivity to Mechanical Impact	Not sensitive.
Sensitivity to Static Discharge	Not sensitive.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid dust formation. Sweep up to prevent slipping hazard.
Other	For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	Do not flush into surface water or sanitary sewer system.
Methods for Containment	Prevent large quantities of this product from contacting vegetation or waterways. Cover with plastic sheet to prevent spreading. Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal.
Methods for cleaning up	Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling	Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected.
Storage	Store in original container. Keep in properly labeled containers. Keep container tightly closed.
Incompatible products	Aluminium. Powdered aluminum. Acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies Local nuisance dust standards apply

Sodium Carbonate, Anhydrous

SDS #: 497-19-8
Revision date: 2015-04-30
Version 5.01

Appropriate engineering controls

Engineering measures Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and Body Protection Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Nitrile rubber, Neoprene gloves

Respiratory Protection In case of inadequate ventilation wear respiratory protection.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

General information These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Granules
Physical State	Solid
Color	White
Odor	odorless
Odor threshold	Not applicable
pH	11.4 (1% solution in water)
Melting point/freezing point	851 °C
Boiling Point/Range	No information available
Flash point	Not applicable
Evaporation Rate	No information available
Flammability (solid, gas)	Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Density	No information available
Specific gravity	2.52
Water solubility	212.5 g/L @ 20 °C
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	400 °C
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	Not explosive
Oxidizing properties	Non-oxidizing
Molecular weight	105.99
Bulk density	0.86 - 1.12 g/cm ³ (Dense grades) 0.70 - 0.90 g/cm ³ (Light Grades)
K _{st}	0 bar m/s

10. STABILITY AND REACTIVITY

Reactivity None under normal use conditions.

Chemical Stability Stable. Decomposes by reaction with strong acid.

Possibility of Hazardous Reactions None under normal processing.

Sodium Carbonate, Anhydrous

SDS # : 497-19-8
Revision date: 2015-04-30
Version 5.01

Hazardous polymerization Hazardous polymerization does not occur.
Conditions to avoid Exposure to air or moisture over prolonged periods.
Incompatible materials Aluminium. Powdered aluminum. Acids.
Hazardous Decomposition Products Sodium oxides. Carbon oxides (COx).

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral 2,800 mg/kg (rat)
LD50 Dermal > 2,000 mg/kg (rabbit)
LC50 Inhalation 2.3 mg/L (rat)

Eye Contact Irritating to eyes.
Skin Contact Non-irritating
Sensitization Patch test on human volunteers did not demonstrate sensitization properties.

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity No known effect.
Mutagenicity No information available
Carcinogenicity Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).
Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Sodium carbonate (497-19-8)				
Active Ingredient(s)	Duration	Species	Value	Units
Sodium Carbonate	96 h LC50	Bluegill sunfish	300	mg/L
Sodium Carbonate	48 h EC50	Ceriodaphnia	200-227	mg/L

Persistence and degradability Biodegradability does not pertain to inorganic substances.
Bioaccumulation Does not bioaccumulate.
Mobility Dissociates into ions.
Other Adverse Effects None known.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of in accordance with local regulations.

Sodium Carbonate, Anhydrous

SDS #: 497-19-8
Revision date: 2015-04-30
Version 5.01

Contaminated Packaging

Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT

NOT REGULATED

TDG

NOT REGULATED

ICAO/IATA

NOT REGULATED

IMDG/IMO

NOT REGULATED

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

International Inventories

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium carbonate 497-19-8 (100)	X	X	X	X	X	X	X	X

Mexico - Grade

Moderate risk, Grade 2

Sodium Carbonate, Anhydrous

SDS #: 497-19-8
Revision date: 2015-04-30
Version 5.01

WHMIS Hazard Class

D2B - Toxic materials, Eye irritation
Class E : Corrosive to aluminum. Not corrosive to animal skin or carbon steel.



D2B - Toxic



E - Corrosive

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Special Hazards -
HMIS	Health Hazards 2	Flammability 0	Physical hazard 0	Personal Protection X
NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0				

Product Certifications

This product meets the chemical testing specifications defined in the Food Chemicals Codex (FCC), 8th Edition.

This product is certified to NSF/ANSI Standard 60 for use in drinking water treatment at the specified maximum use limit. The MUL (maximum use level) for sodium carbonate, anhydrous is 150 mg/L under NSF/ANSI Standard 60.



OU Kosher Certification



Certified to
NSF/ANSI 60



**American Water Works
Association**

Revision date:
Revision note

2015-04-30
Minor change

Disclaimer

Tronox Limited believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of Tronox Limited, Tronox Limited expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

Tronox Limited

Tronox Logo - Trademark of Tronox Limited

© 2015 Tronox Limited. All Rights Reserved.
End of Safety Data Sheet

Univar USA Inc Safety Data Sheet

For Additional Information contact SDS Coordinator during business hours, Pacific time: (425) 889-3400

Notice

Univar USA Inc. ("Univar") expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this SDS as a product specification. For product specification information refer to a product specification sheet and/or a certificate of analysis. These can be obtained from your local Univar sales office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process